



**SI-AT-22 Supported consumables parameter**

**v88 (fractional)**

For detailed list of supported items, check the operating instructions of relevant consumables.

	AT qualified versions and sizes
Text	Preferred tool
Text	Optional tool
	AT qualification not yet available
	Version / Size not existing in portfolio

**KB1 | Expansion Anchor**



Legend:	
<b>4</b>	SIW 4AT-22 & SI-AT-22
<b>6</b>	SIW 6AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"	1"
<b>KB1</b>		4	4 & 6	4 & 6	6	

**KB3 | Expansion Anchor**



Legend:	
<b>4</b>	AT-22 & SI-AT-22
<b>6</b>	AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"	1"
<b>KB3 HDG</b>						
<b>KB3 SS 304</b>		4	4	4		
<b>KB3 SS 316</b>		4	4	4		

**KB TZ2 | Expansion Anchor**



Legend:	
<b>4</b>	AT-22 & SI-AT-22
<b>6</b>	AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"	1"
<b>KB-TZ2</b>		4	4 & 6	4 & 6	6	
<b>KB-TZ2 SS 304</b>		4	4 & 6	4 & 6	6	
<b>KB-TZ2 SS 316</b>		4	4 & 6	4 & 6	6	

**HSL4 | Expansion Anchor**



**Legend:**

4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HSL4	4	4 & 6	4 & 6	4 & 6	6	6
HSL4-G	4	4 & 6	4 & 6	4 & 6	6	6
HSL-4 Pax		4				

**HBC | T-Bolts**



**Legend:**

4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HBC 40/22			4	4		
HBC-N 40/22						
HBC 50/30			4	4	4	
HBC-N 50/30						
HBC-B		4	4			
HBC-T			4 & 6	4 & 6	6	
HBC-C		4	4 & 6	4 & 6	4 & 6	
HBC-C-E			4 & 6	4 & 6		
HBC-C-N			4			

**HIT-Z Metric**



**Legend:**

4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

**Qualified Mortars:**

→ HY-200 A/R V3

	M6	M8	M10	M12	M16	M20	M24
HIT-Z			4	4 & 6	4 & 6	6	
HIT-Z-R			4	4 & 6	4 & 6	6	

**HIT-Z**



**Legend:**

4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

**Qualified Mortars:**

→ HY-200 A/R V3

	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
HIT-Z			4	4 & 6	4 & 6	6		
HIT-Z-R			4	4 & 6	4 & 6	6		

**MT-TL | Twist-Lock channel nut**



Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TL		4 & 6				
MT-TL OC		4 & 6				

**MT-TFB OC | Thread forming bolt**



Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TFB OC		4 & 6				

**MT-THB OC | T-Head Bolt**



Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-THB OC			4 & 6			